



## SAFETY DATA SHEET according to Regulation (EU) 2015/830

Page 1/8

### Thickened Oxibrite

Revision 21

Revision date 2017-07-31

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product name	Thickened Oxibrite
Product code	QAFS010

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen);
Description	No data is available on this product.

##### 1.3. Details of the supplier of the safety data sheet

Company	Superfine Manufacturing Ltd
Address	Orchardbank Industrial Estate Forfar Angus Scotland DD8 1TD
Web	www.superfine.co.uk
Telephone	Tel: 01307 463538
Fax	Fax: 01307 468505
Email	nigel@superfine.co.uk
Email address of the competent person	nigel@superfine.co.uk

##### 1.4. Emergency telephone number

Emergency telephone number	01307 463538 8.30am to 17.00pm
----------------------------	-----------------------------------

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC	Xi; R36 Symbols: Xi: Irritant.
Main hazards	Irritating to eyes.
2.1.2. Classification - EC 1272/2008	Eye Dam. 1: H318;

##### 2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Eye Dam. 1: H318 - Causes serious eye damage.

## Thickened Oxibrite

Revision 21  
Revision date 2017-07-31

## 2.2. Label elements

Precautionary Statement: Prevention	P264 - Wash hands and other contacted skin thoroughly after handling.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P302+P352 - IF ON SKIN: Wash with plenty of water/ .
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
	P337+P313 - If eye irritation persists: Get medical advice/attention.

## 2.3. Other hazards

Other hazards	PBT not identified as a PBT substance.
---------------	--

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Oxalic Acid (Oxalic acid)		144-62-7	205-634-3	01-2119534576-33	1 - 10%	Xn; R21/22 Xi; R41	
2-butoxyethanol	603-014-00-0	111-76-2	203-905-0	01-2119475108-36	1 - 10%	Xn; R20/21/22 Xi; R36/38	
sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	C; R35	

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Oxalic Acid (Oxalic acid)		144-62-7	205-634-3	01-2119534576-33	1 - 10%	Acute Tox. 4: H302+H312; Eye Dam. 1: H318;	
2-butoxyethanol	603-014-00-0	111-76-2	203-905-0	01-2119475108-36	1 - 10%	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315;	
sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	Skin Corr. 1B: H314;	

## Further information

Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
Active Ingredients	Ingredients - Ethanedioic Acid (Oxalic Acid), Less than 5% Anionic Surfactants, Less than 5% Non-ionic Surfactants.

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.

## 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Irritating to respiratory system.
Eye contact	Irritating to eyes.
Skin contact	Irritating to skin.
Ingestion	Irritating to mucous membranes.

## 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention.

# Thickened Oxibrite

Revision 21

Revision date 2017-07-31

## 4.3. Indication of any immediate medical attention and special treatment needed

Skin contact	if irritation or symptoms persist.
	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.

## General information

	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
--	---

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

	This product is not flammable . Use fire-extinguishing media appropriate for surrounding materials.
--	---

### 5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes.
--	---

### 5.3. Advice for firefighters

	Wear suitable respiratory equipment when necessary.
--	---

## Further information

	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
--	---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

	Wear suitable protective equipment.
--	-------------------------------------

### 6.2. Environmental precautions

	Advise local authorities if large spills cannot be contained.
--	---

### 6.3. Methods and material for containment and cleaning up

	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.
--	--

### 6.4. Reference to other sections

	See section 2, 7, 8, 13 for further information.
--	--

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

	Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	---

### 7.2. Conditions for safe storage, including any incompatibilities

	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.
--	---

### 7.3. Specific end use(s)

	No data is available on this product.
--	---------------------------------------

## Suitable packaging

	Plastic containers.
--	---------------------

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

	Occupational exposure controls.
--	---------------------------------

## Thickened Oxibrite

Revision 21

Revision date 2017-07-31

## 8.1.1. Exposure Limit Values

2-butoxyethanol	WEL 8-hr limit ppm: 25 WEL 15 min limit ppm: 50 WEL 8-hr limit mg/m <sup>3</sup> total inhalable dust: - WEL 8-hr limit mg/m <sup>3</sup> total respirable dust: -	WEL 8-hr limit mg/m <sup>3</sup> : 123 WEL 15 min limit mg/m <sup>3</sup> : 101.2 WEL 15 min limit mg/m <sup>3</sup> total inhalable dust: - WEL 15 min limit mg/m <sup>3</sup> total respirable dust: -
Oxalic Acid (Oxalic acid)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m <sup>3</sup> total inhalable dust: - WEL 8-hr limit mg/m <sup>3</sup> total respirable dust: -	WEL 8-hr limit mg/m <sup>3</sup> : 1 WEL 15 min limit mg/m <sup>3</sup> : 2 WEL 15 min limit mg/m <sup>3</sup> total inhalable dust: - WEL 15 min limit mg/m <sup>3</sup> total respirable dust: -
sodium hydroxide	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m <sup>3</sup> total inhalable dust: - WEL 8-hr limit mg/m <sup>3</sup> total respirable dust: -	WEL 8-hr limit mg/m <sup>3</sup> : - WEL 15 min limit mg/m <sup>3</sup> : 2 WEL 15 min limit mg/m <sup>3</sup> total inhalable dust: - WEL 15 min limit mg/m <sup>3</sup> total respirable dust: -

DNEL: Derived no-effect level.



## Exposure Pattern - Workers

2-butoxyethanol	Acute inhalation - Systemic effects 1091 mg/m <sup>3</sup> Acute inhalation - Local effects 246 mg/m <sup>3</sup> Long-term - inhalation - Systemic effects 98 mg/m <sup>3</sup>	Acute dermal - Systemic effects 89 mg/kg Long-term - dermal - Systemic effects 125 mg/kg
Oxalic Acid	Acute dermal - Local effects 0.69 mg/cm <sup>3</sup> Long-term - inhalation - Systemic effects 4.03 mg/m <sup>3</sup>	Long-term - dermal - Systemic effects 2.29 mg/kg
sodium hydroxide	Long-term - inhalation - Systemic effects 1 mg/m <sup>3</sup>	

## Exposure Pattern - General population

2-butoxyethanol	Acute inhalation - Systemic effects 426 mg/m <sup>3</sup> Acute dermal - Systemic effects 89 mg/kg Long-term - inhalation - Systemic effects 59 mg/m <sup>3</sup> Long-term - dermal - Systemic effects 75 mg/kg	Acute oral - Systemic effects 26.7 mg/kg Long-term - inhalation - Local effects 147 mg/m <sup>3</sup> Long-term - oral - Systemic effects 6.3 mg/kg
Oxalic Acid	Acute dermal - Local effects 0.35 mg/m <sup>3</sup> Long-term - dermal - Systemic effects 1.14 mg/kg	Long-term - oral - Systemic effects 1.14 mg/m <sup>3</sup>
sodium hydroxide	Long-term - inhalation - Systemic effects 1 mg/m <sup>3</sup>	

## 8.2. Exposure controls

 	<p>Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face</p>
---	---

## Thickened Oxibrite

Revision 21

Revision date 2017-07-31

## 8.2. Exposure controls

8.2.1. Appropriate engineering controls	protection. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.
Skin protection - Handprotection	Rubber gloves.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance	Viscous liquid.
Colour	Off white
Odour	Characteristic
Odour threshold	No data available
pH	2 - 2.5
Melting point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	1.01 - 1.02 (H <sub>2</sub> O = 1 @ 20 °C)
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 500 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

## 9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic compounds)	No data available

## Water solubility

	Soluble.
--	----------

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

	Stable under normal conditions. No specific reactivity hazards associated with this product.
--	--

## 10.2. Chemical stability

	Stable under normal conditions. No particular stability concerns.
--	---

## Thickened Oxibrite

Revision 21

Revision date 2017-07-31

## 10.3. Possibility of hazardous reactions

Strong acids. Strong oxidising agents.

## 10.4. Conditions to avoid

Protect from frost.

## 10.5. Incompatible materials

No incompatible groups noted.

## 10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly. Burning produces irritating, toxic and obnoxious fumes.

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Acute toxicity	based on available data the classification criteria are not met.
Skin corrosion/irritation	based on available data the classification criteria are not met.
Serious eye damage/irritation	Eye Damage Category 1.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.

## 11.1.2. Mixtures

No data available.

## 11.1.3. Hazard Information

No data available.

## 11.1.4. Toxicological Information

No data available

## SECTION 12: Ecological information

## 12.1. Toxicity

No data available

## 12.2. Persistence and degradability

Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.

## 12.3. Bioaccumulative potential

No data is available on this product.

## Partition coefficient

Thickened Oxibrite	No data available	Oxalic Acid	-1.7 log P
2-butoxyethanol	0.8 log P	sodium hydroxide	No data available

## 12.4. Mobility in soil

No data is available on this product.

## 12.5. Results of PBT and vPvB assessment

## Thickened Oxibrite

Revision 21

Revision date 2017-07-31

**12.5. Results of PBT and vPvB assessment**

No data is available on this product.

**12.6. Other adverse effects**

No data available.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

Dispose of waste and residues in accordance with local authority requirements.

**General information**

Dispose of in compliance with all local and national requirements.

**Disposal of packaging**

Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

**SECTION 14: Transport information****14.1. UN number**

The product is not classified as dangerous for carriage.

**14.2. UN proper shipping name**

The product is not classified as dangerous for carriage.

**14.3. Transport hazard class(es)**

The product is not classified as dangerous for carriage.

**14.4. Packing group**

The product is not classified as dangerous for carriage.

**14.5. Environmental hazards**

The product is not classified as dangerous for carriage.

**14.6. Special precautions for user**

The product is not classified as dangerous for carriage.

No additional special precautions.

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

The product is not classified as dangerous for carriage.

Not applicable.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Regulations**

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

**15.2. Chemical safety assessment**

## Thickened Oxibrite

Revision 21

Revision date 2017-07-31

## 15.2. Chemical safety assessment

No information available.

## SECTION 16: Other information

## Other information

<b>Revision</b>	This document differs from the previous version in the following areas: 2 - Precautionary Statement: Prevention. 2 - Precautionary Statement: Response. 3 - Active Ingredients. 11 - Serious eye damage/irritation.
<b>Text of risk phrases in Section 3</b>	R20/21/22 - Harmful by inhalation, in contact with skin and if swallowed. R21/22 - Harmful in contact with skin and if swallowed. R35 - Causes severe burns. R36/38 - Irritating to eyes and skin. R41 - Risk of serious damage to eyes.
<b>Text of Hazard Statements in Section 3</b>	Acute Tox. 4: H302+H312 - Harmful if swallowed or in contact with skin Eye Dam. 1: H318 - Causes serious eye damage. Acute Tox. 4: H302 - Harmful if swallowed. Acute Tox. 4: H312 - Harmful in contact with skin. Skin Irrit. 2: H315 - Causes skin irritation. Eye Irrit. 2: H319 - Causes serious eye irritation. Acute Tox. 4: H332 - Harmful if inhaled. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

## Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.