



SAFETY DATA SHEET according to Regulation (EU) 2015/830

Wash & Shine

Page 1/8

 Revision
 20

 Revision date
 2021-01-26

SECTION 1: Identification of	the substance/mixture and of the company/undertaking			
1.1. Product identifier				
Product name	Wash & Shine			
Product code	QAFS743			
1.2. Relevant identified uses of t	he substance or mixture and uses advised against			
Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and cleaning products (including solvent based products);			
Description	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products); This concentrated blend of detergents is highly effective at removing dirt and grime from everyday			
	road use. Suitable for use through most automated brush vehicle wash systems and pressure washing equipment with a brush applicator.			
1.3. Details of the supplier of the				
Company	Superfine Manufacturing Ltd			
Address	Orchardbank Industrial Estate			
	Forfar			
	Angus			
	Scotland			
Web	DD8 1TD			
	www.superfine.co.uk Tel: 01307 463538			
Telephone Fax	Fax: 01307 468505			
Email				
Email address of the	nigel@superfine.co.uk nigel@superfine.co.uk			
competent person	Ingel@superime.co.uk			
1.4. Emergency telephone numb	Der			
Emergency telephone number	01307 463538			
	8.30am to 17.00pm			
	For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)			
	If you are a healthcare professional with an enquiry please visit www.TOXBASE.org			
SECTION 2: Hazards identif	ication			
2.1. Classification of the substar	nce or mixture			
2.1.2. Classification - EC 1272/2008	EUH208; Eye Dam. 1: H318; Aquatic Chronic 3: H412;			
2.2. Label elements				



2.2. Label elements	
Hazard pictograms	
Signal Word	Danger
Hazard Statement	EUH208 - Contains benzisothiazolinone. May produce an allergic reaction. Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement: Prevention	P102 - Keep out of reach of children. P103 - Read label before use. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
SUPPLEMENTAL HAZARD	Ingredients as required by Regulation (EC) No 648/2004:. 5 - 15% Non-ionic surfactants, 5 - 15% Amphoteric surfactants, EDTA and salts thereof, Benzisothiazolinone, Parfum.

2.3. Other hazards

Other hazards	This mixture is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Tetrasodium ethylene diamine tetraacetate		64-02-8	200-573-9	01-2119486762-27	1 - 10%	Acute Tox. 4: H302+H332; Eye Dam. 1: H318; STOT RE 2: H373;
1-Propanaminium, 3-amino-N- (carboxymethyl) -N,N-dimethyl-,N-C8-C18 (even numbered) acyl derivs., hydroxides, inner salts		97862-59-4	931-296-8	01-2119488533-30	1 - 10%	Eye Dam. 1: H318; Aquatic Chronic 3: H412;
Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides		308062-28-4	931-292-6	01-2119490061-47	1 - 10%	Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;
Reaction products of C12-18-(even numbered)-alkylamines and acrylic acid and sodium hydroxide			939-647-7		1 - 10%	Skin Irrit. 2: H315; Eye Irrit. 2: H319;
isopentyl acetate (Isopentylacetate)	607-130-00-2	123-92-2	204-662-3		0 - 0.5%	Flam. Liq. 3: H226;
sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	Skin Corr. 1A: H314;
Hexyl Acetate		142-92-7	205-572-7		0 - 0.5%	Flam. Liq. 3: H226;
Ethyl butyrate		105-54-4	203-306-4		0 - 0.5%	Flam. Liq. 3: H226;

Further information Product Shelf Life

RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 4: First aid measures

4.1. Description of first aid measures

···· = +		
Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.	
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.	



4.1. Description of first aid meas	NIRS			
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.			
	I define the second defayed			
Inhalation	May cause irritation to respiratory system.			
Eye contact	Causes serious eye damage.			
Skin contact	May cause irritation to skin.			
Ingestion	May cause irritation to skin. May cause irritation to mucous membranes.			
	medical attention and special treatment needed			
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.			
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.			
Skin contact	Seek medical attention if irritation or symptoms persist.			
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.			
General information				
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.			
SECTION 5: Firefighting me				
• •	asules			
5.1. Extinguishing media				
	This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.			
5.2. Special hazards arising from	n the substance or mixture			
	Burning produces irritating, toxic and obnoxious fumes.			
5.3. Advice for firefighters				
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.			
Further information				
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.			
SECTION 6: Accidental relea	ase measures			
6.1. Personal precautions, prote	ctive equipment and emergency procedures			
	Wear suitable protective equipment.			
6.2. Environmental precautions				
	Advise local authorities if large spills cannot be contained.			
6.3. Methods and material for co				
	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.			
6.4. Reference to other sections				
	See section 2, 7, 8, 13 for further information.			
SECTION 7: Handling and s	torage			
7.1. Precautions for safe handlin				
	Adopt best Manual Handling considerations when handling, carrying and dispensing.			
7.) Conditions for safe stars				
7.2. Conditions for safe storage,				
	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.			



original container.

7.3. Specific end use(s)	
	This concentrated blend of detergents is highly effective at removing dirt and grime from everyday road use. Suitable for use through most automated brush vehicle wash systems and pressure washing equipment with a brush applicator.
Suitable packaging	
	Plastic containers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

DNEL: Derived no-effect level.

Exposure Pattern - Workers	
Tetrasodium ethylene diamine tetraacetate	Acute inhalation - Local effects 2.5 mg/m ³
	Long-term - inhalation - Local 2.5 mg/m³ effects

Exposure Pattern - General population

Tetrasodium ethylene diamine tetraacetate	Acute inhalation - Local effects 1.5 mg/m ³	
	Long-term - inhalation - Local 1.5 mg/m ³ effects	Long-term - oral - Systemic effects 25 mg/kg

8.2. Exposure controls

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.
Skin protection - Handprotection	Rubber gloves.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.
SECTION 9: Physical and ch	nemical properties

9.1. Information on basic physical and chemical properties

Copyright © 2021 ChemSoft. All rights reserved.



9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Yellow
Odour	Perfumes
Odour threshold	No data available
рH	9.5 - 10.2
Melting point	Not applicable.
Initial boiling point	No data available
Flash point	90 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Specific gravity	1.015 - 1.019 g/cm³
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	No data available
compounds)	

SECTION 10: Stability and reactivity

10.1. Reactivity

	Stable under normal conditions. No specific reactivity hazards associated with this product.	
10.2. Chemical stability		
	Stable under normal conditions. No particular stability concerns.	
10.3. Possibility of hazardous reactions		
	Strong acids. Strong oxidising agents.	
10.4. Conditions to avoid		
	Protect from frost.	
10.5. Incompatible materials		
	No incompatible groups noted.	
10.6. Hazardous decomposition products		
	No Hazardous decomposition products when stored and handled correctly.	
SECTION 11: Toxicological information		
11.1. Information on toxicological effects		

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).



11.1. Information on toxicological effects based on available data the classification criteria are not met. Acute toxicity Oral ATE = >10,000 mg/kg. Inhalation - Dust/Mist ATE = 85.4701 mg/l. Skin corrosion/irritation based on available data the classification criteria are not met. Serious eve damage/irritation Eye Dam. 1: H318 - Causes serious eye damage. based on available data the classification criteria are not met. Respiratory or skin sensitisation based on available data the classification criteria are not met. Germ cell mutagenicity Carcinogenicity based on available data the classification criteria are not met. Reproductive toxicity based on available data the classification criteria are not met. STOT-single exposure based on available data the classification criteria are not met. STOT-repeated exposure based on available data the classification criteria are not met. Aspiration hazard based on available data the classification criteria are not met. 11.1.2. Mixtures No data available. 11.1.3. Hazard Information No data available. 11.1.4. Toxicological Information Tetrasodium ethylene diamine Oral Rat LD50: 1780 mg/kg Inhalation Rat LC50/4 h: >1 - <5 mg/l tetraacetate SECTION 12: Ecological information 12.1. Toxicity Tetrasodium ethylene diamine Fish LC50/96h: 100.0000 mg/l Algae EC50/72h: >100 mg/l tetraacetate 12.2. Persistence and degradability Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD quide lines. 12.3. Bioaccumulative potential The product is not bioaccumulating. Partition coefficient Wash & Shine No data available 12.4. Mobility in soil This product is soluble in water. 12.5. Results of PBT and vPvB assessment This mixture is not classified as PBT or vPvB according to current EU criteria. 12.6. Other adverse effects No data available SECTION 13: Disposal considerations 13.1. Waste treatment methods Dispose of waste and residues in accordance with local authority requirements. General information



General information			
	Dispose of in compliance with all local and national requirements.		
Disposal of packaging			
Disposal of packaging			
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.		
SECTION 14: Transport information			
14.1. UN number			
	The product is not classified as dangerous for carriage.		
14.2. UN proper shipping name			
	The product is not classified as dangerous for carriage.		
14.3. Transport hazard class(es)			
	The product is not classified as dangerous for carriage.		
14.4. Packing group			
	The product is not classified as dangerous for carriage.		
14.5. Environmental hazards			
	The product is not classified as dangerous for carriage.		
14.6. Special precautions for use	er		
	The product is not classified as dangerous for carriage.		
14.7. Transport in bulk according	g to Annex II of MARPOL 73/78 and the IBC Code		
	The product is not classified as dangerous for carriage.		
SECTION 15: Regulatory inf	ormation		
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture		
Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.		

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:.
	1 - Product Use.
	2 - SUPPLEMENTAL HAZARD INFORMATION.
	3 - Active Ingredients.
	5 - 5.3. Advice for firefighters.
	10 - 10.6. Hazardous decomposition products.
	11 - Acute toxicity.
	12 - 12.4. Mobility in soil.



Other information		
	12 - 12.3. Bioaccumulative potential. 12 - 12.5. Results of PBT and vPvB assessment.	
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation	
	(EC) No. 1272/2008:.	
	Eye Dam. 1: H318 - Causes serious eye damage Calculation Method.	
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects Calculation Method.	
Text of Hazard Statements in	Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled	
Section 3	Eye Dam. 1: H318 - Causes serious eye damage.	
	STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure .	
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.	
	Acute Tox. 4: H302 - Harmful if swallowed.	
	Skin Irrit. 2: H315 - Causes skin irritation.	
	Aquatic Acute 1: H400 - Very toxic to aquatic life.	
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.	
	Eye Irrit. 2: H319 - Causes serious eye irritation.	
	EUH066 - Repeated exposure may cause skin dryness or cracking.	
	Flam. Liq. 3: H226 - Flammable liquid and vapour.	
	Met. Corr. 1: H290 - May be corrosive to metals.	
	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.	
Further information		
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,	
	storage and handling of the product. This information is correct to the best of our knowledge and	
	belief at the date of publication however no guarantee is made to its accuracy. This information	
	relates only to the specific material designated and may not be valid for such material used in	
	combination with any other materials or in any other process.	

