



# Wash & Shine

Page 1/8

 Revision
 15

 Revision date
 2017-07-26

SECTION 1: Identification of the substance/mixture and of the company/undertaking						
1.1. Product identifier						
Product name	Wash & Shine					
Product code	QAFS743					
1.2. Relevant identified uses of t	1.2. Relevant identified uses of the substance or mixture and uses advised against					
Product Use	[SU21] Consumer uses: Private households (= general public = consumers);					
	 [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen);					
Description	No data is available on this product.					
1.3. Details of the supplier of the	e safety data sheet					
Company	Superfine Manufacturing Ltd					
Address	Orchardbank Industrial Estate					
	Forfar					
	Angus Scotland					
	DD8 1TD					
Web	www.superfine.co.uk					
Telephone	Tel: 01307 463538					
Fax	Fax: 01307 468505					
Email	nigel@superfine.co.uk					
Email address of the	nigel@superfine.co.uk					
competent person						
1.4. Emergency telephone numb	ber					
Emergency telephone number	01307 463538					
	8.30am to 17.00pm					
SECTION 2: Hazards identif	ication					
2.1. Classification of the substar	ice or mixture					
2.1.1. Classification -	Xi; R36					
1999/45/EC	Symbols: Xi: Irritant.					
Main hazards	Irritating to eyes.					
2.1.2. Classification - EC 1272/2008	EUH208; Eye Dam. 1: H318;					
2.2. Label elements	<u> </u>					
Hazard pictograms						



2.2. Label elements	
Signal Word	Danger
Hazard Statement	EUH208 - Contains benzisothiazolinone. May produce an allergic reaction.
	Eye Dam. 1: H318 - Causes serious eye damage.
Precautionary Statement:	P102 - Keep out of reach of children.
Prevention	P103 - Read label before use.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
Response	lenses, if present and easy to do. Continue rinsing.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
2.3. Other hazards	

Other hazards	PBT not identified as a PBT substance.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
1-Propanaminium, N-			939-455-3	01-2119970722-34	1 - 10%	Xi; R41	
(3-aminopropyl)							
-2-hydroxy-N,N-dimethyl-3-sulfo-,							
N-(C8-18(even numbered)acyl)							
derivs, hydroxides, inner salts							
Tetrasodium ethylene diamine		64-02-8	200-573-9	01-2119486762-27	1 - 10%	Xn; R22 Xi; R41	
tetraacetate							
Reaction products of C12-18-(even			939-647-7		1 - 10%	Xi; R38-41	
numbered)-alkylamines and acrylic							
acid and sodium hydroxide							
sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	C; R35	
-							

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
1-Propanaminium, N- (3-aminopropyl) -2-hydroxy-N,N-dimethyl-3-sulfo-, N-(C8-18(even numbered)acyl) derivs, hydroxides, inner salts			939-455-3	01-2119970722-34	1 - 10%	Eye Dam. 1: H318; Aquatic Chronic 3: H412;	
Tetrasodium ethylene diamine tetraacetate		64-02-8	200-573-9	01-2119486762-27	1 - 10%	Acute Tox. 4: H302+H332; Eye Dam. 1: H318; STOT RE 2: H373;	
C8-18 (even numbered) Alkylamidopropylbetain			931-296-8	01-2119488533-30	1 - 10%	Eye Dam. 1: H318; Aquatic Chronic 3: H412;	M=1
Reaction products of C12-18-(ever numbered)-alkylamines and acrylic acid and sodium hydroxide			939-647-7		1 - 10%	Skin Irrit. 2: H315; Eye Dam. 1: H318;	

#### Further information

Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
Active Ingredients	Ingredients Car Shampoo - 5 - 15% Non-ionic Surfactants, 5 - 15% Amphoteric Surfactants, Acid
	EDTA, Benzisothiazolinone, Parfum.

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.		
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.		
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.		
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.		
4.2. Most important symptoms and effects, both acute and delayed			

# Wash & Shine

## Revision 15

Revision date 2017-07-26

4.2 Most important symptoms a	
	nd effects, both acute and delayed
Inhalation	Irritating to respiratory system.
Eye contact	Irritating to eyes.
Skin contact	Irritating to skin.
Ingestion	Irritating to mucous membranes.
4.3. Indication of any immediate	medical attention and special treatment needed
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting mea	asures
5.1. Extinguishing media	
	This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.
5.2. Special hazards arising from	
	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Wear suitable respiratory equipment when necessary.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding
	environment.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
	Wear suitable protective equipment.
6.2. Environmental precautions	
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for co	
	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.
6.4. Reference to other sections	<u>.</u>
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling and st	
SECTION 7: Handling and st 7.1. Precautions for safe handlin	torage
	torage
	torage ng Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.1. Precautions for safe handlin	torage ng Adopt best Manual Handling considerations when handling, carrying and dispensing.
<ul><li>7.1. Precautions for safe handlin</li><li>7.2. Conditions for safe storage,</li></ul>	torage  g Adopt best Manual Handling considerations when handling, carrying and dispensing. including any incompatibilities Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in
7.1. Precautions for safe handlin	torage  g Adopt best Manual Handling considerations when handling, carrying and dispensing. including any incompatibilities Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in



Suitable packaging

Plastic containers.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

	Occupational exposure controls.	
8.1.1. Exposure Limit Values		
sodium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers		
sodium hydroxide	Long-term - inhalation - Systemic 1 mg/m <sup>3</sup> effects	
Tetrasodium ethylene diamine tetraacetate	Acute inhalation - Local effects 2.5 mg/m <sup>3</sup>	
	Long-term - inhalation - Local 2.5 mg/m³ effects	

#### Exposure Pattern - General population

sodium hydroxide	Long-term - inhalation - Systemic	1 mg/m <sup>3</sup>	
	effects		
Tetrasodium ethylene diamine	Acute inhalation - Local effects	1.5 mg/m³	
tetraacetate			
	Long-term - inhalation - Local	1.5 mg/m <sup>3</sup>	Long-term - oral - Systemic effects 25 mg/kg
	effects	5	

#### 8.2. Exposure controls

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.
Skin protection - Handprotection	Rubber gloves.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.



# Revision 15 Revision date 2017-07-26

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Yellow
Odour	Perfumes
Odour threshold	No data available
pH	9.5 - 10.2
Melting point	Not applicable.
Initial boiling point	No data available
Flash point	90 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

#### 9.2. Other information

Conductivity	No data available
Surface tension	No data available
Specific gravity	1.015 - 1.019 g/cm³
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	No data available
compounds)	

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

	Stable under normal conditions. No specific reactivity hazards associated with this product.
10.2. Chemical stability	
	Stable under normal conditions. No particular stability concerns.
10.3. Possibility of hazardous re	eactions
	Strong acids. Strong oxidising agents.
10.4. Conditions to avoid	
	Protect from frost.
10.5. Incompatible materials	
	No incompatible groups noted.
10.6. Hazardous decomposition	products
	No Hazardous decomposition products when stored and handled correctly. Burning produces irritating, toxic and obnoxious fumes.
SECTION 11: Toxicological information	

#### 11.1. Information on toxicological effects



11.1. Information on toxicologica	l effects
Acute toxicity	based on available data the classification criteria are not met.
Skin corrosion/irritation	based on available data the classification criteria are not met.
Serious eye damage/irritation	Eye Damage Category 1.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
11.1.2. Mixtures	
	No data available.
11.1.3. Hazard Information	
	No data available.
11.1.4. Toxicological Information	
	No data available
SECTION 12: Ecological info	prmation
12.1. Toxicity	
	No data available
12.2. Persistence and degradab	ility
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.
12.3. Bioaccumulative potential	
	No data is available on this product.
Partition coefficient	
	Wash & Shine         No data available         sodium hydroxide         No data available
12.4. Mobility in soil	
	No data is available on this product.
12.5. Results of PBT and vPvB a	assessment
	No data is available on this product.
12.6. Other adverse effects	
	No data available.
SECTION 13: Disposal cons	iderations
13.1. Waste treatment methods	
	Dispose of waste and residues in accordance with local authority requirements.
General information	
	Dispose of in compliance with all local and national requirements.
Disposal of packaging	
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.



Revision date 2017-07-26

SECTION 14: Transport into	rmation
14.1. UN number	
	The product is not classified as dangerous for carriage.
14.2. UN proper shipping name	
	The product is not classified as dangerous for carriage.
14.3. Transport hazard class(es	)
	The product is not classified as dangerous for carriage.
14.4. Packing group	
	The product is not classified as dangerous for carriage.
14.5. Environmental hazards	
	The product is not classified as dangerous for carriage.
14.6. Special precautions for us	er
	The product is not classified as dangerous for carriage.
	No additional special precautions.
14.7. Transport in bulk according	g to Annex II of MARPOL 73/78 and the IBC Code
	The product is not classified as dangerous for carriage.
	Not applicable.
SECTION 15: Regulatory inf	ormation
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture
Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency,

#### 15.2. Chemical safety assessment

No information available.

#### SECTION 16: Other information

#### Other information

Revision	This document differs from the previous version in the following areas:. 2 - Precautionary Statement: Prevention. 2 - Precautionary Statement: Response.
	<ul><li>3 - Active Ingredients.</li><li>11 - Serious eye damage/irritation.</li></ul>
Text of risk phrases in Section	R22 - Harmful if swallowed.
3	R35 - Causes severe burns.
	R38 - Irritating to skin.
	R41 - Risk of serious damage to eyes.
Text of Hazard Statements in	Eye Dam. 1: H318 - Causes serious eye damage.
Section 3	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and

Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

Other information	
	Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure . Skin Irrit. 2: H315 - Causes skin irritation.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

