



SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/8

Windscreen Wash Concentrate Fragranced

Revision 15

Revision date 2017-08-18

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Windscreen Wash Concentrate Fragranced qafs346

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen);

No data is available on this product.

1.3. Details of the supplier of the safety data sheet

Company Superfine Manufacturing Ltd
Address Orchardbank Industrial Estate

Forfar Angus Scotland DD8 1TD

 Web
 www.superfine.co.uk

 Telephone
 Tel: 01307 463538

 Fax
 Fax: 01307 468505

 Email
 nigel@superfine.co.uk

Email address of the competent person nigel@superfine.co.uk

1.4. Emergency telephone number

Emergency telephone number 01307 463538 8.30am to 17.00pm

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

Flam. Liq. 2: H225;

2.2. Label elements

Hazard pictograms



Signal Word

Danger

Hazard Statement

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Powered by

ChemSoft EH&S

Precautionary Statement:

P102 - Keep out of reach of children.

Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Revision 15 Revision date 2017-08-18

2.2. Label elements

Precautionary Statement:	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
Response	lenses, if present and easy to do. Continue rinsing.
Precautionary Statement:	P403+P235 - Store in a well-ventilated place. Keep cool.
Storage	

2.3. Other hazards

Other hazards	PBT not identified as a PBT substance.
---------------	--

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
ethanol	603-002-00-5	64-17-5	200-578-6	01-2119457610-43	90 - 100%	Flam. Liq. 2: H225;
(R)-p-mentha-1,8-diene	601-029-00-7	5989-27-5	227-813-5		0 - 0.5%	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
1-Methyl-4-(1-methylethenyl) -benzene		99-87-6	202-796-7		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Aquatic Chronic 2: H411;
Geranyl Acetate		105-87-3	203-341-5	01-2119973480-35	0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 3: H412;

Further information

Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
Active Ingredients	Ingredients Windscreen Wash Concentrated - Less than 5% Non-ionic Surfactants, Less than 5%
	Anionic Surfactants, CI 45100, Parfum (Linalool, Hexyl Cinnamal, Limonene,
	Butylphenylmethylpropional, Citronellol).

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	High concentration of vapour in enclosed space may cause irritation, headaches and nausea. May cause irritation to respiratory system.
Eye contact	Irritating to eyes.
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.
Ingestion	May cause irritation to mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

	TREAT SYMPTOMATICALLY.
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.

General information

Revision 15 Revision date 2017-08-18

	Revision date 2017-06-16
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting mea	asures
5.1. Extinguishing media	
	Highly flammable liquid and vapour. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
5.2. Special hazards arising from	n the substance or mixture
	Highly flammable liquid and vapour. Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	·
	Wear suitable respiratory equipment when necessary.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
	Wear suitable protective equipment. Highly flammable liquid and vapour. Avoid sparks, flames, heat and sources of ignition.
6.2. Environmental precautions	
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for co	ontainment and cleaning up
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Avoid sparks, flames, heat and sources of ignition.
6.4. Reference to other sections	
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling and st	torage
7.1. Precautions for safe handling	g
	Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage,	including any incompatibilities
	Highly flammable liquid and vapour. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children.
7.3. Specific end use(s)	
	No data is available on this product.
Suitable packaging	
	Plastic containers.
SECTION 8: Exposure contr	ols/personal protection
8.1. Control parameters	
	Occupational exposure controls.
8.1.1. Exposure Limit Values	

Revision 15 Revision date 2017-08-18

8.1.1. Exposure Limit Values

BHT (Butylated Hydroxytoluene) (2,6-Di-tert-butyl-p-cresol)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10
(2,0 Di tort butyi p orocory	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
ethanol	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Propylene Glycol	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10
(Propane-1,2-diol particulates)		
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Propylene Glycol	WEL 8-hr limit ppm: 150	WEL 8-hr limit mg/m3: 474
(Propane-1,2-diol total vapour and particulates)		
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

8.2. Exposure controls







Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.

Eye / face protection Skin protection -Handprotection

Rubber gloves.

Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Revision 15 Revision date 2017-08-18

9.1. Information on basic physical and chemical properties

Appearance Liquid Colour **PINK** Odour Alcoholic/Designer Fragranced Odour threshold No data available 7 - 9 pН Melting point No data available 78 °C Initial boiling point 16 °C Flash point Evaporation rate No data available Flammability (solid, gas) No data available Upper Explosive Limit Lower Explosive Limit 3.5 % Vapour pressure No data available Vapour density No data available Relative density No data available Partition coefficient No data available Autoignition temperature No data available Viscosity < 50 centipoise **Explosive properties** No data available Oxidising properties No data available Solubility Soluble in water

9.2. Other information

Conductivity No data available Surface tension No data available Specific gravity 0.8 - 0.82 g/cm³ **Bulk Density** Not applicable. Gas group No data available Benzene Content No data available No data available Lead content VOC (Volatile organic 97 g/l compounds)

SECTION 10: Stability and reactivity

1	0	.1	١.	Rea	activ	/ity
---	---	----	----	-----	-------	------

	Highly flammable liquid and vapour. Stable under normal conditions.
10.2. Chemical stability	
	Flammable liquid. Stable under normal conditions.
10.3. Possibility of hazardous re	eactions
	Oxidising agents. Combustible materials.
10.4. Conditions to avoid	
	Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.
10.5. Incompatible materials	
	Oxidising agents.
10.6. Hazardous decomposition	products
	No Hazardous decomposition products when stored and handled correctly. Burning produces irritating, toxic and obnoxious fumes.

SECTION 11: Toxicological information

Revision 15 Revision date 2017-08-18

11.1. Information on toxicological e	cicological effects
--------------------------------------	---------------------

Acute toxicity based on available data the classification criteria are not met. based on available data the classification criteria are not met. based on available data the classification criteria are not met.
Parious ave demaga/initation based on available data the elegatification evitoric are not mot
Serious eye damage/irritation based on available data the classification criteria are not met.
based on available data the classification criteria are not met.
Germ cell mutagenicity based on available data the classification criteria are not met.
Carcinogenicity based on available data the classification criteria are not met.
Reproductive toxicity based on available data the classification criteria are not met.
based on available data the classification criteria are not met.
STOT-repeated exposure based on available data the classification criteria are not met.
Aspiration hazard based on available data the classification criteria are not met.
1.1.2. Mixtures
No data available.
1.1.3. Hazard Information
No data available.
1.1.4. Toxicological Information
thanol Oral Rat LD50: 5000 mg/kg
SECTION 12: Ecological information
2.1. Toxicity
No data available
2.2. Persistence and degradability
Substance biodegrades at a moderate rate and inherently biodegradable according to the OE guide lines.
2.3. Bioaccumulative potential
No data is available on this product.
artition coefficient
Windscreen Wash Concentrate No data available Fragranced
2.4. Mobility in soil
No data is available on this product.
2.5. Results of PBT and vPvB assessment
No data is available on this product.
2.6. Other adverse effects
No data available.
SECTION 13: Disposal considerations
3.1. Waste treatment methods
Dispose of waste and residues in accordance with local authority requirements.
eneral information
Dispose of in compliance with all local and national requirements.
isposal of packaging
Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in

Revision 15 Revision date 2017-08-18

Disposal of packaging

compliance with local and national regulations.

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

UN1170

14.2. UN proper shipping name

ETHYL ALCOHOL SOLUTION

14.3. Transport hazard class(es)

ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-

14.4. Packing group

Packing group

14.5. Environmental hazards

Environmental hazards No Marine pollutant No

14.6. Special precautions for user

No additional special precautions.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

ADR/RID

Hazard ID	33
Tunnel Category	(D/E)

IMDG

EmS Code	F-E S-D
----------	---------

IATA

Packing Instruction (Cargo)	364
Maximum quantity	60 L
Packing Instruction	353
(Passenger)	
Maximum quantity	5 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
	of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of
	Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC

Revision 15 Revision date 2017-08-18

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Other information

- Calor information	
Revision	This document differs from the previous version in the following areas:.
	2 - 2.1.2. Classification - EC 1272/2008.
	2 - Hazard pictograms.
	2 - Precautionary Statement: Prevention.
	2 - Precautionary Statement: Response.
	2 - Precautionary Statement: Disposal.
	11 - 11.1.4. Toxicological Information.
	11 - Serious eye damage/irritation.
Text of Hazard Statements in	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
Section 3	Flam. Liq. 3: H226 - Flammable liquid and vapour.
	Skin Irrit. 2: H315 - Causes skin irritation.
	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Maximum content of VOC	97 g/l.
Further information	

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.