



Page 1/10

# Pink Windscreen Wash Concentrate

	Revision 21 Revision date 2022-11-10
SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Pink Windscreen Wash Concentrate
Product code	qafs346
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);
Description	Vehicle Screenwash.
1.3. Details of the supplier of the	e safety data sheet
Company	Superfine Manufacturing Ltd
Address	Orchardbank Industrial Estate
	Forfar
	Angus Scotland
	DD8 1TD
Web	www.superfine.co.uk
Telephone	Tel: 01307 463538
Fax	Fax: 01307 468505
Email address of the	nigel@superfine.co.uk
competent person	
1.4. Emergency telephone numb	ber
Emergency telephone number	01307 463538
	8.30am to 17.00pm
	For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)
	If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC         Flam. Liq. 2: H225; Eye Irrit. 2:           1272/2008         Flam. Liq. 2: H225; Eye Irrit. 2:	H319;
--	-------

## 2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Copyright © 2022 ChemSoft. All rights reserved.



2.2. Label elements	
	Eye Irrit. 2: H319 - Causes serious eye irritation.
Precautionary Statement:	P102 - Keep out of reach of children.
Prevention	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
Response	lenses, if present and easy to do. Continue rinsing.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
Precautionary Statement:	P403+P235 - Store in a well-ventilated place. Keep cool.
Storage	
Precautionary Statement:	P501 - Dispose of contents/container to an approved disposal site, in accordance with local
Disposal	regulations.
SUPPLEMENTAL HAZARD	Ingredients - 97% w/w Denatured Alcohol, Less than 5% Non-ionic Surfactants, Less than 5%
INFORMATION	Anionic Surfactants, CI 45100, Parfum, Linalool, Limonene, Hexyl Cinnamal.
	Contains - 97% w/w Denatured Alcohol.
2.3. Other hazards	
Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The
	substance/mixture does not contain substances with endocrine disrupting properties.

## Further information

RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

# SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Ethanol: Ethyl Alcohol (Ethanol)		64-17-5	200-578-6	01-2119457610-43	90 - 100%	Flam. Liq. 2: H225; Eye Irrit. 2: H319;

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.	
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.	
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.	
4.2. Most important symptoms a	nd effects, both acute and delayed	
Inhalation	High concentration of vapour in enclosed space may cause irritation, headaches and nausea. May cause irritation to respiratory system.	
Eye contact	Irritating to eyes.	
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.	
Ingestion	May cause irritation to mucous membranes.	
4.3. Indication of any immediate	medical attention and special treatment needed	
	TREAT SYMPTOMATICALLY.	
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.	
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.	
Skin contact	Seek medical attention if irritation or symptoms persist.	
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.	



	Revision date 2022-11-10
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting mea	asures
5.1. Extinguishing media	
	Highly flammable liquid and vapour. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
5.2. Special hazards arising from	n the substance or mixture
	Highly flammable liquid and vapour.
5.3. Advice for firefighters	
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
	Wear suitable protective equipment. Highly flammable liquid and vapour. Avoid sparks, flames, heat and sources of ignition.
6.2. Environmental precautions	
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for co	ntainment and cleaning up
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Avoid sparks, flames, heat and sources of ignition.
6.4. Reference to other sections	
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling and st	torage
7.1. Precautions for safe handlin	-
	Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage,	
	Highly flammable liquid and vapour. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children.
7.3. Specific end use(s)	
	Vehicle Screenwash.
Suitable packaging	·
	Plastic containers.
SECTION 8: Exposure control	ols/personal protection
8.1. Control parameters	
	Occupational exposure controls.

8.1.1. Exposure Limit Values



Revision 21

Revision date 2022-11-10

•		
2,6,6-Trimethylbicyclo[3.1.1]hept -2-ene (Alpha-Pinene)	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 140
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 300
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
2,6-Di-tert-butyl-p-cresol	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
6.6. Dimethol 9 methodenekievele		respirable dust:
6,6-Dimethyl-2-methylenebicyclo [3.1.1]heptane	WEL 8-hr limit ppm: 25	<b>WEL 8-hr limit mg/m3</b> : 140
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 300
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
Diethyl phthalate	respirable dust: WEL 8-hr limit ppm: -	respirable dust: WEL 8-hr limit mg/m3: 5
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 10
		-
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Ethanol: Ethyl Alcohol (Ethanol)	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Monopropylene Glycol	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10
(Propane-1,2-diol particulates)	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
		WEL 15 min limit mg/m3 total -
	WEL 8-hr limit mg/m3 total - inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Monopropylene Glycol (Propane-1,2-diol total vapour	WEL 8-hr limit ppm: 150	WEL 8-hr limit mg/m3: 474
and particulates)		
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

8.1.1. Exposure Limit Values

**Exposure Pattern - Workers** 



 Revision
 21

 Revision date
 2022-11-10

Exposure Pattern - Workers			
2,6,6-Trimethylbicyclo[3.1.1]hept	Long-term - inhalation - Systemic	5.98 mg/m <sup>3</sup>	
-2-ene	effects		
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic	950 mg/m³	
	effects		
	Long-term - inhalation - Local	1900 mg/m³	Long-term - dermal - Systemic 343 mg/kg
	effects		effects
Monopropylene Glycol	Long-term - inhalation - Systemic	168 mg/m³	
	effects		
	Long-term - inhalation - Local	10 mg/m³	
	effects		

## Exposure Pattern - General population

2,6,6-Trimethylbicyclo[3.1.1]hept	Long-term - inhalation - Systemic	1.06 mg/m <sup>3</sup>		
-2-ene	effects			
	Long-term - oral - Systemic	0.31 mg/kg		
	effects			
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic	114 mg/m³		
	effects			
	Long-term - inhalation - Local	950 mg/m³	Long-term - dermal - Systemic	206 mg/kg
	effects		effects	
	Long-term - oral - Systemic	87 mg/kg		
	effects			
Monopropylene Glycol	Long-term - inhalation - Systemic	50 mg/m³		
	effects			
	Long-term - inhalation - Local	10 mg/m³	Long-term - dermal - Systemic	213 mg/m³
	effects		effects	
	Long-term - oral - Systemic	85 mg/m³		
	effects			

### 8.2. Exposure controls

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Skin protection - Handprotection	Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.

## SECTION 9: Physical and chemical properties



 Revision
 21

 Revision date
 2022-11-10

#### 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	PINK
Odour	Alcoholic/Designer Fragranced
Odour threshold	No data available
рН	7 - 9
Melting point	No data available
Initial boiling point	78 °C
Flash point	16 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper Explosive Limit	15 %
Lower Explosive Limit	3.5 %
Vapour pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

### 9.2. Other information

Conductivity	No data available
Surface tension	No data available
Specific gravity	0.8 - 0.82 g/cm³
Bulk Density	Not applicable.
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	No data available
compounds)	

# 9.2.1. Information with regard to physical hazard classes

No data is available on this product.

#### 9.2.2. Other safety characteristics

No data is available on this product.

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Highly flammable liquid and vapour. Stable under normal conditions.

## 10.2. Chemical stability

### 10.3. Possibility of hazardous reactions

### None known.

#### 10.4. Conditions to avoid

Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.

### 10.5. Incompatible materials

Oxidising agents. Combustible materials.



### 10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes

	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
Acute toxicity	based on available data the classification criteria are not met.
	Oral ATE = >10,000 mg/kg.
	Dermal ATE = >10,000 mg/kg.
	Inhalation - Dust/Mist ATE = >10,000 mg/kg.
Skin corrosion/irritation	based on available data the classification criteria are not met.
Serious eye damage/irritation	Eye Irrit. 2: H319 - Causes serious eye irritation.
Respiratory or skin	based on available data the classification criteria are not met.
sensitisation	
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged	based on available data the classification criteria are not met.
exposure	
	based on available data the classification criteria are not met.

#### 11.1.3. Hazard Information

No data available.

No data available.

#### 11.1.4. Toxicological Information

2,6,6-Trimethylbicyclo[3.1.1]hept	Oral Rat LD50: 3500 mg/kg	
-2-ene		
6,6-Dimethyl-2-methylenebicyclo	Dermal Rat LD50: 133848.9mg/kg	Oral Rat LD50: 37287.23mg/kg
[3.1.1]heptane		
Ethanol: Ethyl Alcohol	Oral Rat LD50: 10470.0 mg/kg	Dermal Rabbit LD50: 15800.0 mg/kg
	Inhalation Rat LC50/4 h: 20 mg/l	
Monopropylene Glycol	Dermal Rat LD50: >2000 mg/kg	Oral Rat LD50: 22000 mg/kg
	Dermal Rabbit LD50: >2000 mg/kg	Inhalation Rat LC50/4 h: 41 mg/l

#### 11.2 Information on other hazards

No data is available on this product.

### SECTION 12: Ecological information

#### 12.1. Toxicity

	No data available	
Ethanol: Ethyl Alcohol	NOEC / EC10 for marine or 9.6000 mg/l	
	freshwater organisms	
Monopropylene Glycol	EC50 for marine or freshwater 13020.0000 mg/l	LC50 for marine or freshwater 15000.0000 mg/l
	organisms	organisms

## 12.2. Persistence and degradability

Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.



 Revision
 21

 Revision date
 2022-11-10

12.3. Bioaccumulative potential

	The product is not bioaccumulating.
Partition coefficient	
	Pink Windscreen Wash No data available Ethanol: Ethyl Alcohol -0.35 log P
	Concentrate Monopropylene Glycol -1.07 log P
12.4. Mobility in soil	
	This product is soluble in water.
12.5. Results of PBT and vPvB	assessment
	This substance/mixture is not classified as PBT or vPvB according to current criteria.
12.6 Endocrine disrupting prope	rties
	No data is available on this product.
12.7. Other adverse effects	
	No data is available on this product.
SECTION 13: Disposal cons	iderations
13.1. Waste treatment methods	
	Dispose of waste and residues in accordance with local authority requirements.
General information	
	Dispose of in compliance with all local and national requirements.
Disposal of packaging	1
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.
SECTION 14: Transport info	rmation
Hazard pictograms	
14.1. UN number	
	UN1170
14.2. UN proper shipping name	
	ETHYL ALCOHOL SOLUTION
14.3. Transport hazard class(es	
ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk IATA	
IATA Subsidiary risk	3
14.4. Packing group	1
Packing group	



	Revision date 2022-11-1
14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No
14.6. Special precautions for use	Ð Ð
	No additional special precautions.
14.7 Maritime Transport in bulk a	according to IMO instruments
	Not applicable.
ADR/RID	
Hazard ID	33
Tunnel Category	(D/E)
MDG	
EmS Code	F-E S-D
IATA	
Packing Instruction (Cargo)	364
Maximum quantity	60 L
Packing Instruction	353
(Passenger) Maximum quantity	5 L
· · ·	
SECTION 15: Regulatory info	
15.1. Safety, health and environr	mental regulations/legislation specific for the substance or mixture
Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
	COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
15.2. Chemical safety assessme	ent
	No information available.
SECTION 16: Other informat	lion
Other information	
Revision	<ul> <li>This document differs from the previous version in the following areas:.</li> <li>2 - Other hazards.</li> <li>2 - Further information.</li> <li>2 - SUPPLEMENTAL HAZARD INFORMATION.</li> <li>9 - 9.2.2. Other safety characteristics.</li> <li>9 - 9.2.1. Information with regard to physical hazard classes.</li> </ul>



 Revision
 21

 Revision date
 2022-11-10

Other information		
	<ul> <li>12 - 12.1. Toxicity.</li> <li>12 - 12.6 Endocrine disrupting properties.</li> <li>12 - 12.7. Other adverse effects.</li> <li>15 - Regulations.</li> </ul>	
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008, as retained and amended in UK law. Flam. Liq. 2: H225 - Highly flammable liquid and vapour Flash Point - 16 degC. Eye Irrit. 2: H319 - Causes serious eye irritation Calculation Method.	
Text of Hazard Statements in Section 3	Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation.	
Further information	Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.	

