



SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/9

WUNDERGUNGE

Revision 31 Revision date 2018-06-20

| SECTION 1: Ident | tification of the substance | e/mixture and of the | company/undertaking |
|------------------|-----------------------------|----------------------|---------------------|
| | | | |

1.1. Product identifier

Product name WUNDERGUNGE
Product code QAFS027

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services,

craftsmen);

[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites;

Description A heavy duty thickened Hydrochloric / Phosphoric Acid cleaning solution. Only use when

specifically authorised by local management. For cleaning heavy iron brake block dust soiling from

the exterior of vehicles, roof glass, station signs etc.

1.3. Details of the supplier of the safety data sheet

Company Superfine Manufacturing Ltd

Address Orchardbank Industrial Estate

Forfar Angus Scotland

DD8 1TD www.superfine.co.uk

Web www.superfine.co.uk
Telephone Tel: 01307 463538

competent person

1.4. Emergency telephone number

Emergency telephone number | 01307 463538

8.30am to 17.00pm

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

Skin Corr. 1A: H314;

2.2. Label elements

Hazard pictograms



Signal Word

Danger

Hazard Statement

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

Revision 31 **Revision date** 2018-06-20

2.2. Label elements

| Precautionary Statement: Prevention | P280 - Wear protective gloves/protective clothing/eye protection/face protection. |
|--|--|
| Precautionary Statement: Response | P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 -Immediately call a POISON CENTER/doctor/. |
| Precautionary Statement: Storage | P405 - Store locked up. |
| Precautionary Statement: Disposal | P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations. |
| 2.3. Other hazards | |

| Other hazards | PBT not identified as a PBT substance. |
|---------------|--|
| | |

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

| Chemical Name | Index No. | CAS No. | EC No. | REACH Registration Number | Conc. (%w/w) | Classification |
|---|--------------|------------|-----------|------------------------------|-----------------|---|
| phosphoric acid %, orthophosphoric acid % (Orthophosphoric acid) | 015-011-00-6 | 7664-38-2 | 231-633-2 | 01-2119485924-24 | 10 - 20% | Skin Corr. 1B: H314; |
| Hydrochloric acid (Hydrogen chloride (gas and aerosol mists)) | 017-002-00-2 | 7647-01-0 | 231-595-7 | 01-2119484862-27 | 10 - 20% | Met. Corr. 1: H290; Skin Corr. 1A: H314; STOT SE 3: H335; |
| 2-butoxyethanol | 603-014-00-0 | 111-76-2 | 203-905-0 | 01-2119475108-36 | 1 - 10% | Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315; |
| 1H-Imidazole-1-ethanol,4,5-dihydro -2-C15-C17 unsaturated alkyl derivatives | | 61791-39-7 | 263-171-2 | | 0 - 0.5% | Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Chronic 1: H410; |

| Further | inform | ation |
|---------|--------|-------|
| | | |

| Product Shelf Life | RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY. | |
|--------------------|---|--|
| Active Ingredients | Ingredients Wundergunge - Hydrochloric Acid, Phosphoric Acid, Butylene Glycol, Xantham Gum, | |
| | Less than 5% Cationic Surfactant. | |

SECTION 4: First aid measures

4.1. Description of first aid measures

| Inhalation | Move the exposed person to fresh air. | |
|--------------|--|--|
| Eye contact | Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses | |
| | should be removed. | |
| Skin contact | Remove contaminated clothing. Wash off immediately with plenty of soap and water. | |
| Ingestion | DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested | |
| | product. | |

4.2. Most important symptoms and effects, both acute and delayed

| Inhalation | Causes burns. | |
|--------------|---|--|
| Eye contact | Causes burns. Risk of serious damage to eyes. | |
| Skin contact | Causes burns. | |
| Ingestion | Causes burns. | |

4.3. Indication of any immediate medical attention and special treatment needed

| Inhalation | Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical | |
|------------|---|--|
| | advice immediately (show the label where possible). Seek medical attention. Show this safety data | |

Revision 31
Revision date 2018-06-20

| | Revision date 2010-00-20 |
|------------------------------------|--|
| 4.3. Indication of any immediate | medical attention and special treatment needed |
| | sheet to the doctor in attendance. |
| Eye contact | Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance. |
| Skin contact | Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medical attention. Show this safety data sheet to the doctor in attendance. |
| Ingestion | Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance. |
| General information | • |
| | If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically. |
| SECTION 5: Firefighting mea | asures |
| 5.1. Extinguishing media | |
| | This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials. |
| 5.2. Special hazards arising from | n the substance or mixture |
| | Burning produces irritating, toxic and obnoxious fumes. |
| 5.3. Advice for firefighters | |
| | Wear suitable respiratory equipment when necessary. |
| Further information | |
| | In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| SECTION 6: Accidental relea | ase measures |
| 6.1. Personal precautions, prote | ctive equipment and emergency procedures |
| | Wear suitable protective equipment. |
| 6.2. Environmental precautions | · |
| | Advise local authorities if large spills cannot be contained. |
| 6.3. Methods and material for co | ontainment and cleaning up |
| | For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water. |
| 6.4. Reference to other sections | |
| | See section 2, 7, 8, 13 for further information. |
| SECTION 7: Handling and st | torage |
| 7.1. Precautions for safe handling | ng |
| | Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing. |
| 7.2. Conditions for safe storage, | including any incompatibilities |
| | Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container. |
| 7.3. Specific end use(s) | |
| | No data is available on this product. |
| Suitable packaging | |
| | Plastic containers. |
| | |

Revision 31 Revision date 2018-06-20

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

| 2-butoxyethanol | WEL 8-hr limit ppm: 25 | WEL 8-hr limit mg/m3: 123 |
|-----------------------------------|------------------------------|--------------------------------|
| | WEL 15 min limit ppm: 50 | WEL 15 min limit mg/m3: 101.2 |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | inhalable dust: | inhalable dust: |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | respirable dust: | respirable dust: |
| Hydrochloric acid (Hydrogen | WEL 8-hr limit ppm: 1 | WEL 8-hr limit mg/m3: 2 |
| chloride (gas and aerosol mists)) | | |
| | WEL 15 min limit ppm: 5 | WEL 15 min limit mg/m3: 8 |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | inhalable dust: | inhalable dust: |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | respirable dust: | respirable dust: |
| phosphoric acid %, | WEL 8-hr limit ppm: - | WEL 8-hr limit mg/m3: 1 |
| orthophosphoric acid % | | |
| (Orthophosphoric acid) | | |
| | WEL 15 min limit ppm: - | WEL 15 min limit mg/m3: 2 |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | inhalable dust: | inhalable dust: |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | respirable dust: | respirable dust: |

DNEL: Derived no-effect level.

Exposure Pattern - Workers

| 2-butoxyethanol | Acute inhalation - Systemic 1091 mg/m³ | |
|-----------------|--|--|
| | effects | |
| | Acute inhalation - Local effects 246 mg/m³ | Acute dermal - Systemic effects 89 mg/kg |
| | Long-term - inhalation - Systemic 98 mg/m³ | Long-term - dermal - Systemic 125 mg/kg |
| | effects | effects |

Exposure Pattern - General population

| 2-butoxyethanol | Acute inhalation - Systemic 426 mg/m³ | |
|-----------------|--|---|
| | effects | |
| | Acute dermal - Systemic effects 89 mg/kg | Acute oral - Systemic effects 26.7 mg/kg |
| | Long-term - inhalation - Systemic 59 mg/m³ | Long-term - inhalation - Local 147 mg/m³ |
| | effects | effects |
| | Long-term - dermal - Systemic 75 mg/kg | Long-term - oral - Systemic effects 6.3 mg/kg |
| | effects | |

8.2. Exposure controls









Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

Revision 31
Revision date 2018-06-20

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection Skin protection -Handprotection Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.

Rubber gloves.

Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Viscous liquid.

Colour Off white

Odour Strong

3000

pH < 0.8

Melting point No data available

Initial boiling point No data available

Flash point No data available

Evaporation rate No data available

Flammability (solid, gas) No data available

Vapour pressure No data available
Vapour density No data available

Relative density No data available
Partition coefficient No data available

Autoignition temperature No data available

Viscosity < 600 centipoise

Explosive properties No data available
Oxidising properties No data available

Solubility Soluble in water

9.2. Other information

Conductivity
Surface tension
Specific gravity
Gas group
Benzene Content
Lead content

No data available
1.107 - 1.125 g/cm³
No data available
No data available
No data available

VOC (Volatile organic compounds)

No data available

Water solubility

soluble.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions. No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal conditions. No particular stability concerns.

Revision 31 Revision date 2018-06-20

| 10.3. Possibility of hazardous re | actions | Revision date 2018-06-2 | | |
|--|--|--|--|--|
| Total I decibility of Hazardodo 10 | Strong acids. Strong oxidising agents. | | | |
| 40.4. Conditions to sweld | Strong acids. Strong oxidising agents. | | | |
| 10.4. Conditions to avoid | Γ | | | |
| | Protect from frost. | | | |
| 10.5. Incompatible materials | | | | |
| | No incompatible groups noted. | | | |
| 10.6. Hazardous decomposition | products | | | |
| | No Hazardous decomposition products when store irritating, toxic and obnoxious fumes. | ed and handled correctly. Burning produces | | |
| SECTION 11: Toxicological | information | | | |
| 11.1. Information on toxicologica | | | | |
| <u> </u> | This mixture has not been tested as a whole for he calculated using the methods outlined in Regulation | | | |
| Acute toxicity | based on available data the classification criteria a | are not met. | | |
| Skin corrosion/irritation | Skin Corr. 1A: H314 - Causes severe skin burns a | ind eye damage. | | |
| Serious eye damage/irritation | Causes serious eye damage. | | | |
| Respiratory or skin sensitisation | based on available data the classification criteria are not met. | | | |
| Germ cell mutagenicity | based on available data the classification criteria a | are not met. | | |
| Carcinogenicity | based on available data the classification criteria are not met. | | | |
| Reproductive toxicity | based on available data the classification criteria are not met. | | | |
| STOT-single exposure | based on available data the classification criteria are not met. | | | |
| STOT-repeated exposure | based on available data the classification criteria are not met. | | | |
| Aspiration hazard | based on available data the classification criteria are not met. | | | |
| 11.1.2. Mixtures | | | | |
| | No data available. | | | |
| 11.1.3. Hazard Information | | | | |
| | No data available. | | | |
| 11.1.4. Toxicological Information | ì | | | |
| 1H-Imidazole-1-ethanol,4,5-dihy dro,-2-C15-C17 unsaturated alkyl derivatives | Oral Rat LD50: 947mg/kg | | | |
| SECTION 12: Ecological info | ormation | | | |
| 12.1. Toxicity | | | | |
| 1H-Imidazole-1-ethanol,4,5-dihy dro,-2-C15-C17 unsaturated alkyl derivatives | Fish LC50/96h: 0.6300 mg/l | | | |
| 2-butoxyethanol | EC50 for marine or freshwater >100.0000 mg/l organisms | LC50 for marine or freshwater >100.0000 mg/l organisms | | |
| 12.2. Persistence and degradab | ility | | | |
| cisicono and dograda | Substance biodegrades at a moderate rate and inliquide lines. | herently biodegradable according to the OECD | | |

No data is available on this product.

12.3. Bioaccumulative potential

Revision 31 Revision date 2018-06-20

| | WUNDERGUNGE No data available | 2-butoxyethanol 0.8 log P |
|------------------------------|--|---|
| | WONDERGOINGE INDICATE AVAILABLE | 2-butoxyetilarioi 0.0 log F |
| 12.4. Mobility in soil | | |
| | No data is available on this product. | |
| 12.5. Results of PBT and vi | PvB assessment | |
| | No data is available on this product. | |
| 12.6. Other adverse effects | | |
| | No data available. | |
| SECTION 13: Disposal o | considerations | |
| 13.1. Waste treatment meth | | |
| | Dispose of waste and residues in accordance with local a | authority requirements. |
| General information | | |
| | Dispose of in compliance with all local and national requi | rements. |
| Disposal of packaging | | |
| , F | Do NOT reuse empty containers. Empty containers can be | pe sent to landfill after cleaning, if in |
| | compliance with local and national regulations. | and |
| SECTION 14: Transport | information | |
| Hazard pictograms | | |
| | 8 | |
| 14.1. UN number | | |
| | UN1760 | |
| 14.2. UN proper shipping na | ame | |
| | CORROSIVE LIQUID, N.O.S. (Contains Hydrochloric ac | id and Phosphoric Acid) |
| 14.3. Transport hazard clas | s(es) | |
| ADR/RID | 8 | |
| Subsidiary risk | - | |
| IMDG | 8 | |
| Subsidiary risk | - | |
| IATA Subsidiary risk | 8 - | |
| 14.4. Packing group | - | |
| Packing group | П | |
| 14.5. Environmental hazard | | |
| Environmental hazards | No | |
| Marine pollutant | No | |
| 14.6. Special precautions fo | | |
| | No additional special precautions. | |
| 14.7. Transport in bulk acco | ording to Annex II of MARPOL 73/78 and the IBC Code | |
| Handport III bailt door | Not applicable. | |
| | ot application | |

Revision 31 Revision date 2018-06-20

| ADR/RID | |
|-----------------------------|---------|
| Hazard ID | 80 |
| Tunnel Category | (E) |
| IMDG | |
| EmS Code | F-A S-B |
| IATA | |
| Packing Instruction (Cargo) | 855 |
| Maximum quantity | 30 L |
| Packing Instruction | 851 |
| (Passenger) | |
| Maximum quantity | 1L |

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| _ | _ | _ | la | 4 | _ | _ | _ |
|---|---|---|--------|----|---|---|---|
| - | _ | п | 12 | 11 | n | n | • |
| | | | | | | | |

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

| Other information | | | | |
|------------------------------|---|--|--|--|
| Revision | This document differs from the previous version in the following areas:. | | | |
| | 2 - Precautionary Statement: Disposal. | | | |
| | 11 - 11.1.4. Toxicological Information. | | | |
| | 11 - Skin corrosion/irritation. | | | |
| | 11 - 11.1. Information on toxicological effects. | | | |
| | 12 - 12.1. Toxicity. | | | |
| | 16 - Data sources. | | | |
| Data sources | Classification and Procedure used to derive the classification for mixtures according to Regulation | | | |
| | (EC) No. 1272/2008:. | | | |
| | Skin Corr. 1A: H314 - Causes severe skin burns and eye damage Extreme pH - ≤ 2.0. | | | |
| Text of Hazard Statements in | Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. | | | |
| Section 3 | Met. Corr. 1: H290 - May be corrosive to metals. | | | |
| | Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. | | | |
| | STOT SE 3: H335 - May cause respiratory irritation. | | | |
| | Acute Tox. 4: H302 - Harmful if swallowed. | | | |
| | Acute Tox. 4: H312 - Harmful in contact with skin. | | | |
| | Skin Irrit. 2: H315 - Causes skin irritation. | | | |
| | Eye Irrit. 2: H319 - Causes serious eye irritation. | | | |

Further information

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Acute Tox. 4: H332 - Harmful if inhaled.

Revision 31
Revision date 2018-06-20

| Further information | |
|---------------------|--|
| | The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information |
| | relates only to the specific material designated and may not be valid for such material used in |
| | combination with any other materials or in any other process. |