



SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/9

WUNDERGUNGE

Revision 32

Revision date 2020-09-22

1.1. Product identifier

Product name WUNDERGUNGE
Product code QAFS027

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services,

craftsmen); [PC35] Washing and cleaning products (including solvent based products);

Description A heavy duty thickened Hydrochloric / Phosphoric Acid cleaning solution. Only use when

specifically authorised by local management. For cleaning heavy iron brake block dust soiling from

the exterior of vehicles, roof glass, station signs etc.

1.3. Details of the supplier of the safety data sheet

Company Superfine Manufacturing Ltd

Address Orchardbank Industrial Estate

Forfar Angus Scotland DD8 1TD

Web www.superfine.co.uk

 Telephone
 Tel: 01307 463538

 Fax
 Fax: 01307 468505

 Email
 nigel@superfine.co.uk

Email address of the competent person

nigel@superfine.co.uk

1.4. Emergency telephone number

Emergency telephone number | 01307 463538

01007 100000

8.30am to 17.00pm

National Poisons Information Service:

For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in

Scotland) on 111 (for 24 hour health advice)

If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - ECMet. Corr. 1: H290; Skin Corr. 1A: H314; 1272/2008

2.2. Label elements

Revision 32 Revision date 2020-09-22

2.2. Label elements

Hazard pictograms

Signal Word

Hazard Statement

Met. Corr. 1: H290 - May be corrosive to metals.

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

Precautionary Statement: Prevention

Precautionary Statement:

Response

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

 ${\sf P305+P351+P338-IF\ IN\ EYES:\ Rinse\ cautiously\ with\ water\ for\ several\ minutes.\ Remove\ contact}$

lenses, if present and easy to do. Continue rinsing.

P310 -Immediately call a POISON CENTER/doctor/ .

Precautionary Statement:

Storage

Precautionary Statement:

Disposal

SUPPLEMENTAL HAZARD INFORMATION

P405 - Store locked up.

P501 - Dispose of contents/container to an approved disposal site, in accordance with local

regulations.

Danger

Ingredients - Hydrochloric Acid, Phosphoric Acid, Butylene Glycol, Xantham Gum, Less than 5% Cationic Surfactant.

2.3. Other hazards

Other hazards

This mixture is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
phosphoric acid %, orthophosphoric acid % (Orthophosphoric acid)	015-011-00-6	7664-38-2	231-633-2	01-2119485924-24	10 - 20%	Skin Corr. 1B: H314;
Hydrochloric acid (Hydrogen chloride (gas and aerosol mists))	017-002-00-2	7647-01-0	231-595-7	01-2119484862-27	10 - 20%	Met. Corr. 1: H290; Skin Corr. 1A: H314; STOT SE 3: H335;
2-butoxyethanol	603-014-00-0	111-76-2	203-905-0	01-2119475108-36	1 - 10%	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315;
1H-Imidazole-1-ethanol,4,5-dihydro -2-C15-C17 unsaturated alkyl derivatives) ,	61791-39-7	263-171-2	01-2119931039-40	0 - 0.5%	Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Chronic 1: H410;

Further information

Product Shelf Life RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses
	should be removed.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested
	product.

4.2. Most important symptoms and effects, both acute and delayed

Revision 32 Revision date 2020-09-22

	Revision date 2020-09-2	
4.2. Most important sympton	ns and effects, both acute and delayed	
Inhalation	Causes burns.	
Eye contact	Causes burns. Risk of serious damage to eyes.	
Skin contact	Causes burns.	
ngestion Causes burns.		
4.3. Indication of any immed	iate medical attention and special treatment needed	
Inhalation	Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance.	
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance.	
Skin contact	Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.	
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.	
General information		
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.	
SECTION 5: Firefighting	measures	
5.1. Extinguishing media		
	This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.	
5.2. Special hazards arising	from the substance or mixture	
	Burning produces irritating, toxic and obnoxious fumes.	
5.3. Advice for firefighters		
_	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.	
Further information		
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
SECTION 6: Accidental r	release measures	
	rotective equipment and emergency procedures	
or in a decidal procedure in p	Wear suitable protective equipment. Avoid contact with eyes and skin.	
6.2. Environmental precaution		
o.z. Environmental precaution		
	Advise local authorities if large spills cannot be contained.	
6.3. Methods and material fo	or containment and cleaning up	
	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.	
6.4. Reference to other sect	ions	
	See section 2, 7, 8, 13 for further information.	
SECTION 7: Handling an	nd storage	
7.1. Precautions for safe har	iding	

Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual

Revision 32

		Revision date 2020-09-2
7.2. Conditions for safe storage	, including any incompatibilities	
	Store in a cool, dry area. Keep container tig original container.	htly closed. Keep out of the reach of children. Store in
'.3. Specific end use(s)		
		sphoric Acid cleaning solution. Only use when nt. For cleaning heavy iron brake block dust soiling from igns etc.
Suitable packaging		
	Plastic containers.	
SECTION 8: Exposure cont	rols/personal protection	
3.1. Control parameters		
	Occupational exposure controls.	
3.1.1. Exposure Limit Values		
2-butoxyethanol	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 123
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 101.2
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Hydrochloric acid (Hydrogen	WEL 8-hr limit ppm: 1	WEL 8-hr limit mg/m3: 2
chloride (gas and aerosol mists))	WEL 15 min limit ppm: 5	WEL 15 min limit mg/m3: 8
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
phosphoric acid %,	respirable dust: WEL 8-hr limit ppm: -	respirable dust: WEL 8-hr limit mg/m3: 1
orthophosphoric acid %	WEE 0-111 IIIIII ppini.	WEE 6-III IIIIIIC III III II.
Orthophosphoric acid)		
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust: WEL 8-hr limit mg/m3 total -	inhalable dust: WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
ONEL: Derived no-effect level.		
xposure Pattern - Workers		
2-butoxyethanol	Acute inhalation - Systemic 1091 mg/m³ effects	
	Acute inhalation - Local effects 246 mg/m³	Acute dermal - Systemic effects 89 mg/kg
	Long-term - inhalation - Systemic 98 mg/m³ effects	Long-term - dermal - Systemic 125 mg/kg effects
xposure Pattern - General pop	oulation	
2-butoxyethanol	Acute inhalation - Systemic 426 mg/m³ effects	
	Acute dermal - Systemic effects 89 mg/kg	Acute oral - Systemic effects 26.7 mg/kg
	Long-term - inhalation - Systemic 59 mg/m³	Long-term - inhalation - Local 147 mg/m³

Long-term - dermal - Systemic 75 mg/kg

effects

effects

effects

Long-term - oral - Systemic effects 6.3 mg/kg

Revision 32 Revision date 2020-09-22

8.2. Exposure controls









Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166. Face shield.

Skin protection - Handprotection

Rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.

Skin protection - Other Respiratory protection

Wear suitable protective clothing.

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Viscous liquid.
Colour	Off white
Odour	Strong
pН	< 0.8
Melting point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 600 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

Revision 32 Revision date 2020-09-22

9.2. Other information

Conductivity No data available
Surface tension No data available
Specific gravity 1.107 - 1.125 g/cm³
Gas group No data available
Benzene Content Lead content VOC (Volatile organic compounds)

Water solubility

soluble.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions. No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal conditions. No particular stability concerns.

10.3. Possibility of hazardous reactions

Strong acids. Strong oxidising agents.

10.4. Conditions to avoid

Protect from frost. Avoid storing in direct Sun Light.

10.5. Incompatible materials

Strong acids. Strong oxidising agents.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
Acute toxicity	based on available data the classification criteria are not met.
	Oral ATE = >10,000 mg/kg.
	Dermal ATE = >10,000 mg/kg.
	Inhalation - Dust/Mist = 65.21 mg/l.
Skin corrosion/irritation	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin	based on available data the classification criteria are not met.
sensitisation	
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
11.1.2. Mixtures	

11.1.3. Hazard Information

No data available.

Revision 32 Revision date 2020-09-22

11.1.3. Hazard Information		
	No data available.	
11.1.4. Toxicological Information	1	
1H-Imidazole-1-ethanol,4,5-dihy dro,-2-C15-C17 unsaturated alkyl derivatives	Oral Rat LD50: 947mg/kg	
2-butoxyethanol	Inhalation Rat LC50/15min: 4500 ppm Dermal Rat LD50: 1100 mg/kg	Inhalation Rat LC50/30min: 11.0 mg/l Oral Rat LD50: 1300 mg/kg

SECTION 12: Ecological information

12.1. Toxicity

1H-Imidazole-1-ethanol,4,5-dihy	Fish LC50/96h: 0.6300 mg/l	
dro,-2-C15-C17 unsaturated		
alkyl derivatives		
2-butoxyethanol	EC50 for marine or freshwater >100.0000 mg/l	LC50 for marine or freshwater >100.0000 mg/l
	organisms	organisms

12.2. Persistence and degradability

Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.

12.3. Bioaccumulative potential

The product is not bioaccumulating.

Partition coefficient

	WUNDERGUNGE No data available	2-butoxyethanol 0.8 log P
12.4. Mobility in soil		
	This product is soluble in water.	
12.5. Results of PBT and vPvE	3 assessment	
	This mixture is not classified as PBT or vPvB according t	o current EU criteria.

12.6. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

General information

Dispose of in compliance with all local and national requirements.

Disposal of packaging

Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

SECTION 14: Transport information

Hazard pictograms



Revision 32 Revision date 2020-09-22

	Revision date 2020-09-22
14.1. UN number	
	UN1760
14.2. UN proper shipping name	
	CORROSIVE LIQUID, N.O.S. (Contains Hydrochloric acid and Phosphoric Acid)
14.3. Transport hazard class(es)	
ADR/RID	8
Subsidiary risk	-
IMDG	8
Subsidiary risk] -
IATA	8
Subsidiary risk	<u> </u> -
14.4. Packing group	
Packing group	11
14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No No
14.6. Special precautions for use	er
	No additional special precautions.
14.7. Transport in bulk according	g to Annex II of MARPOL 73/78 and the IBC Code
	Not applicable.
ADR/RID	
Hazard ID	80
Tunnel Category	(E)
IMDG	
EmS Code	F-A S-B
IATA	
Packing Instruction (Cargo)	855
Maximum quantity	30 L
Packing Instruction (Passenger)	851
Maximum quantity	1L

SECTION 15: Regulatory information

Regulations

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

·	of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Revision 32 Revision date 2020-09-22

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Other information

This document differs from the previous version in the following areas:. 1 - Product Use. 2 - 2.1.2. Classification - EC 1272/2008. 2 - SUPPLEMENTAL HAZARD INFORMATION. 3 - Active Ingredients. 5 - 5.3. Advice for firefighters. 6 - 6.1. Personal precautions, protective equipment and emergency procedures. 7 - 7.3. Specific end use(s). 8 - Skin protection - Handprotection. 8 - Eye / face protection. 8 - Skin protection - Other. 10 - 10.4. Conditions to avoid. 10 - 10.6. Hazardous decomposition products.	Other information		
2 - 2.1.2. Classification - EC 1272/2008. 2 - SUPPLEMENTAL HAZARD INFORMATION. 3 - Active Ingredients. 5 - 5.3. Advice for firefighters. 6 - 6.1. Personal precautions, protective equipment and emergency procedures. 7 - 7.3. Specific end use(s). 8 - Skin protection - Handprotection. 8 - Eye / face protection. 8 - Skin protection - Other. 10 - 10.4. Conditions to avoid.	Revision	This document differs from the previous version in the following areas:.	
2 - SUPPLEMENTAL HAZARD INFORMATION. 3 - Active Ingredients. 5 - 5.3. Advice for firefighters. 6 - 6.1. Personal precautions, protective equipment and emergency procedures. 7 - 7.3. Specific end use(s). 8 - Skin protection - Handprotection. 8 - Eye / face protection. 8 - Skin protection - Other. 10 - 10.4. Conditions to avoid.		1 - Product Use.	
3 - Active Ingredients. 5 - 5.3. Advice for firefighters. 6 - 6.1. Personal precautions, protective equipment and emergency procedures. 7 - 7.3. Specific end use(s). 8 - Skin protection - Handprotection. 8 - Eye / face protection. 8 - Skin protection - Other. 10 - 10.4. Conditions to avoid.		2 - 2.1.2. Classification - EC 1272/2008.	
5 - 5.3. Advice for firefighters. 6 - 6.1. Personal precautions, protective equipment and emergency procedures. 7 - 7.3. Specific end use(s). 8 - Skin protection - Handprotection. 8 - Eye / face protection. 8 - Skin protection - Other. 10 - 10.4. Conditions to avoid.		2 - SUPPLEMENTAL HAZARD INFORMATION.	
6 - 6.1. Personal precautions, protective equipment and emergency procedures. 7 - 7.3. Specific end use(s). 8 - Skin protection - Handprotection. 8 - Eye / face protection. 8 - Skin protection - Other. 10 - 10.4. Conditions to avoid.		3 - Active Ingredients.	
7 - 7.3. Specific end use(s). 8 - Skin protection - Handprotection. 8 - Eye / face protection. 8 - Skin protection - Other. 10 - 10.4. Conditions to avoid.		5 - 5.3. Advice for firefighters.	
8 - Skin protection - Handprotection. 8 - Eye / face protection. 8 - Skin protection - Other. 10 - 10.4. Conditions to avoid.		6 - 6.1. Personal precautions, protective equipment and emergency procedures.	
8 - Eye / face protection. 8 - Skin protection - Other. 10 - 10.4. Conditions to avoid.		7 - 7.3. Specific end use(s).	
8 - Skin protection - Other. 10 - 10.4. Conditions to avoid.		8 - Skin protection - Handprotection.	
10 - 10.4. Conditions to avoid.		8 - Eye / face protection.	
		8 - Skin protection - Other.	
10 - 10.6. Hazardous decomposition products.		10 - 10.4. Conditions to avoid.	
		10 - 10.6. Hazardous decomposition products.	
10 - 10.5. Incompatible materials.		·	
11 - Acute toxicity.		l ·	
12 - 12.1. Toxicity.		•	
12 - 12.4. Mobility in soil.			
12 - 12.3. Bioaccumulative potential.		· · · · · · · · · · · · · · · · · · ·	
12 - 12.5. Results of PBT and vPvB assessment.			
16 - Data sources.		16 - Data sources.	
Data sources Classification and Procedure used to derive the classification for mixtures according to Regulation	Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation	
(EC) No. 1272/2008:.			
Met. Corr. 1: H290 - May be corrosive to metals Calculation Method.			
Skin Corr. 1A: H314 - Causes severe skin burns and eye damage Extreme pH - ≤ 2.0.		Skin Corr. 1A: H314 - Causes severe skin burns and eye damage Extreme pH - ≤ 2.0.	
Text of Hazard Statements in Met. Corr. 1: H290 - May be corrosive to metals.	Text of Hazard Statements in	Met. Corr. 1: H290 - May be corrosive to metals.	
Section 3 Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.	Section 3	[· · · · · · · · · · · · · · · · · · ·	
STOT SE 3: H335 - May cause respiratory irritation.			
Acute Tox. 4: H302 - Harmful if swallowed.			
Acute Tox. 4: H312 - Harmful in contact with skin.			
Skin Irrit. 2: H315 - Causes skin irritation.			
Eye Irrit. 2: H319 - Causes serious eye irritation.			
Acute Tox. 4: H332 - Harmful if inhaled.			
Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.		[· · · · · · · · · · · · · · · · · · ·	
Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.		Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.	

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.